

Conflicts of interest: none declared.

REFERENCES

1. Didkowska J, Wojciechowska U, Zato ski W. Nowotwory zło liwe w Polsce w 2009 roku. The National Cancer Control Programme-Cancer Registration; 2011. 64-67p
2. Champion RH, Burton JL, Burns DA, Breathnach SM, editors. Rook, Wilkinson, Ebling Textbook of dermatology, 6th ed. Oxford: Blackwell Science; 1998. 1775p
3. Balch CM, Soong SJ, Gershenwald JE, Thompson JF, Reintgen DS, Cascinelli N, Urist M, McMasters KM, Ross MI, Kirkwood JM, Atkins MB, Thompson JA, Coit DG, Byrd D, Desmond R, Zhang Y, Liu PY, Lyman GH, Morabito A. Prognostic factors analysis of 17,600 melanoma patients: validation of the American Joint Committee on Cancer melanoma staging system. *J Clin Oncol.* 2001 Aug; 15; 19(16):3622-34.
4. Dickson PV, Gershenwald JE. Staging and prognosis of cutaneous melanoma. *Surg Oncol Clin N Am.* 2011 Jan; 20(1):1-17.
5. Dasgupta TK, Brasfield RD. Metastatic melanoma of the gastrointestinal tract. *Arch Surg.* 1964 Jun; 88:969-73.
6. Geboes K, De Jaeger E, Rutgeerts P, Vantrappen G. Symptomatic gastrointestinal metastases from malignant melanoma. A clinical study. *J Clin Gastroenterol.* 1988 Feb; 10(1):64-70.
7. Schuchter LM, Green R, Fraker D. Primary and metastatic diseases in malignant melanoma of the gastrointestinal tract. *Curr Opin Oncol.* 2000 Mar; 12(2):181-5.
8. Law MM, Wong JH. Evaluation of the prognostic significance of the site of origin of cutaneous melanoma. *Am Surg.* 1994 May; 60(5):362-6.
9. Blecker D, Abraham S, Furth EE, Kochman ML. Melanoma in the gastrointestinal tract. *Am J Gastroenterol.* 1999 Dec; 94(12):3427-33.
10. Liang KV, Sanderson SO, Nowakowski GS, Arora AS. Metastatic malignant melanoma of the gastrointestinal tract. *Mayo Clin Proc.* 2006 Apr; 81(4):511-6.
11. Bender GN, Maglinte DD, McLarney JH, Rex D, Kelvin FM. Malignant melanoma: patterns of metastasis to the small bowel, reliability of imaging studies, and clinical relevance. *Am J Gastroenterol.* 2001 Aug; 96(8):2392-400.
12. Eggermont AM, Spatz A, Lazar V, Robert C. Is ulceration in cutaneous melanoma just a prognostic and predictive factor or is ulcerated melanoma a distinct biologic entity? *Curr Opin Oncol.* 2012 Mar; 24(2):137-40.
13. Sachs DL, Lowe L, Chang AE, Carson E, Johnson TM. Do primary small intestinal melanomas exist? Report of a case. *J Am Acad Dermatol.* 1999 Dec; 41(6):1042-4.
14. Lagoudianakis EE, Genetzakis M, Tsekouras DK, Papadima A, Kafiri G, Toutouzas K, Katergiannakis V, Manouras A. Primary gastric melanoma: a case report. *World J Gastroenterol.* 2006 Jul 21; 12(27):4425-7.
15. Messeguer F, Agustí-Mejías A, Traves V, Alegre V, Oliver V, Nagore E. Risk factors for the development of locoregional cutaneous metastases as the sole form of recurrence in patients with melanoma. *Actas Dermosifiliogr.* 2013 Jan; 104(1):53-60.