Possibility to control anxiety and pain in endodontic dental treatment – review

Stanulewicz E. ^{1A-E}, Dąbrowska E. ^{2A,B,F*}, Olszański K. ^{3D,E}, Borowski K. ^{3E}, Rosłan K. ^{3E}

- 1. Individual Dental Practice in Białystok, Poland
- 2. Department of Gerostomatology, Medical University in Białystok, Poland
- 3. Student Scientific Association, Medical University in Białystok, Poland
- A- Conception and study design; **B** Collection of data; **C** Data analysis; **D** Writing the paper;
- E- Review article; F Approval of the final version of the article; G Other (please specify)

ABSTRACT

Modern dentistry aims to limit the unpleasant feeling of pain, associated with dental procedures during treatment in dental office. There are many ways to reduce pain during dental procedures. Endodontic treatment, necessary in irreversible pulpitis, should be completed during one visit. Removal of the inflamed pulp from cavity and root canals is often accompanied by pain. The aim of the study was to introduce, based on literature, methods

of relieving anxiety and pain accompanying dental treatment procedures, including endodontic treatment, as well as description of applied measures. According to the modern literature this research compares methodology and results of the anaesthetic and anxiety treatment in dental office, especially in endodontic treatment.

Keywords: anesthesia, endodontic treatment, pulpitis

DOI: